



Adhesive
Solutions

Adhesives and Sealants Catalog

HARDWARE STORE / INDUSTRIAL SUPPLIES / CONSTRUCTION



MADE
IN
SPAIN



qsadhesives.com



For sure ✓

Company	
Get to know us	4
Value Proposition	5
<hr/>	
Sealants	
MS Polymer Sealants & Adhesives	7
Polyurethane Sealants	14
Acrylic Sealants	15
Wood Sealants	17
<hr/>	
Silicones	
Acetic Silicones	19
Neutral Silicones	22
<hr/>	
Polyurethane Foams	28
<hr/>	
Mounting Adhesive	34
<hr/>	
Contact Adhesive	41
<hr/>	
White Tails	45
<hr/>	
Decorative Stickers	
Wallpaper	49
Artificial Grass	50
Flooring and Carpets / Parquet	51
Multiple Uses / Cyanoacrylate Adhesive	56
<hr/>	
Hot Melt Adhesive	57
<hr/>	
Construction Chemicals	65
<hr/>	
Others	77
<hr/>	
Your Own Brand	82





We are a Spanish company passionate about research and development, dedicated to offering the market innovative solutions in specific chemicals for construction. Our goal is to provide products that stand out for their high quality, durability, and efficiency, always with a focus on sustainability and respect for the environment. The chemical products we develop, such as adhesives, resins, waterproofing agents, polymers, etc., play a crucial role in the integrity and performance of constructions, guaranteeing maximum reliability and safety in every project.

Although the cost of these chemicals may represent a fraction of the total cost of construction projects, their impact on the final quality is decisive. Therefore, at QS we have a team committed to offering specialized technical advice and personalized follow-up to ensure that each solution perfectly meets the needs of construction professionals.

Every client is unique, and at QS we want you to feel confident working with us. "QS, for sure"



1. Quality Guaranteed

Our products meet the highest quality standards and certifications in the industry, ensuring strength, durability, and optimal performance.

2. Precios Competitivos y Condiciones Preferenciales

As manufacturers, we offer direct factory prices and attractive commercial terms.

3. Wide Variety and Tailored Solutions

We offer a complete line of adhesives, sealants, glues, solvents, putties, etc., for multiple industrial, construction, and consumer applications. Furthermore, we can develop customized solutions according to market needs.

4. Efficient Logistics and Delivery

We guarantee optimal delivery times and a reliable supply chain, reducing costs and ensuring constant inventory availability.

5. Technical and Sales Support

Our team of experts provides technical advice, training, and promotional materials to help distributors maximize their sales. We are in constant contact with points of sale to train and assist distributors in selling our products.





SEALANTS



EMAX MS-30 MS Sealant



Applications

- ✓ Sealing of joints in precast concrete elements during construction (expansion and static).
- ✓ Joints in non-trafficable floors.
- ✓ Sealing of joinery to the structure and between joinery.
- ✓ Paintable after curing.
- ✓ For interior and exterior use.

Certifications



Presentation	EAN	Colour	U/Box
600ml aluminum bag	8435057629188	White	12
600ml aluminum bag	8435057629027	Construction grey	12
600ml aluminum bag	8435057631082	Ral 7044	12
600ml aluminum bag	8435057630368	Pearl grey	12
600ml aluminum bag	8435057630375	Ral 9002	12

EMAX MS-40 MS Sealant-Adhesive



Applications

- ✓ Excellent adhesion and chemical resistance.
- ✓ Good adhesion to damp surfaces.
- ✓ Bonds and seals most materials used in industry and construction.
- ✓ Paintable after curing.
- ✓ For interior and exterior use.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057629850	Crystal	12
300ml cartridge.	8435057619967	White	12
600ml aluminum bag	8435057629034	White	12
300ml cartridge.	8435057620079	Grey	12
600ml aluminum bag	8435057629041	Grey	12
300ml cartridge.	8435057627702	Terracotta	12
600ml aluminum bag	8435057631273	Terracotta	12
300ml cartridge.	8435057627696	Black	12
600ml aluminum bag	8435057631266	Black	12

EMAX MS-50

MS Sealant-Adhesive



Applications

- ✓ Excellent adhesion and chemical resistance.
- ✓ Good adhesion to damp surfaces.
- ✓ Bonds and seals most materials used in industry and construction.
- ✓ Paintable after curing.
- ✓ For interior and exterior use.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057670258	White	12
300ml cartridge.	8435057670265	Grey	12
300ml cartridge.	8435057625043	Terracotta	12
300ml cartridge.	8435057625050	Black	12



EMAX MS-52 MS Pool Adhesive-Sealant



A new technology, single-component sealant-adhesive based on high-quality silane-modified polymers. High modulus. Suitable for pool and construction materials. Remains elastic after curing. Good adhesion to damp surfaces, even underwater. Does not corrode metals or attack alkaline substrates (concrete, brick, etc.). Paintable after curing. Isocyanate-free. Excellent resistance to weathering and UV radiation.

Advantages

- ✓ Elastic bonding/sealing.
- ✓ Can be applied on wet surfaces, even underwater
- ✓ Excellent UV and weather resistance.
- ✓ Resistant to chlorinated and salt water.

Applications

- ✓ For pool repair applications
- ✓ Bonding of tiles and mosaics, even underwater.
- ✓ Repair of cracks in concrete, PVC (non-pressurized), and polyester.
- ✓ For sealing joints in swimming pools.
- ✓ General bonding and sealing in construction applications.
- ✓ Adhesion testing is recommended on any material unfamiliar to the user.

Certifications



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057630993	White	12





Adhesive Solutions

Immediate adhesion



Crystal clear finish



EMAX MS-55

MS High Tack Turbo Sealant-Adhesive (20 Min)

¡NEW!



One-component MS hybrid adhesive with immediate grab (3 sec), high strength (up to 400 kg/dm²) and permanent elasticity, rapid strength build-up, for bonding most materials (except PE, PP, PTFE, Teflon and Asphalt). Good adhesion to damp surfaces.

Applications

- ✓ Immediate bonding and fixing of elements in construction and decoration: profiles, baseboards, skirting boards, moldings, plasterboard, thermal and acoustic insulation boards, window sills, roof tiles, metals, etc.
- ✓ Flexible bonding of panels to walls.
- ✓ Bonding of expanded polystyrene.
- ✓ Thermal and acoustic insulation panels in refrigerated containers, caravans, motorhomes, and commercial vehicles.
- ✓ Bonding applications even on damp surfaces in the shipbuilding industry.
- ✓ Quick and elastic bonds in construction; withstands movement and/or vibration.

Advantages

- ✓ Immediate grab (3 sec).
- ✓ Fast curing (Allows handling of bonded items after 20 minutes).
- ✓ Can be applied to damp surfaces.
- ✓ Strong, flexible adhesion with high final strength of up to 400 Km/dm².
- ✓ Excellent adhesion to a wide range of materials.
- ✓ Excellent UV and weather resistance, weathering, and aging.
- ✓ Free of silicone, isocyanates, and solvents.
- ✓ Non-corrosive.
- ✓ Absorbs impacts and vibration.
- ✓ Suitable for indoor and outdoor use. Paintable after curing.




Certifications



Recommendation:



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057610261	White	12
150g tube.	8435057635943	White	12



EMAX MS-60

Crystal-Clear MS High Tack Adhesive



High-performance crystal-clear adhesive and sealant. Bonds and seals most materials used in industry and construction.

Applications

- ✓ Stone.
- ✓ Concrete.
- ✓ Cement.
- ✓ Brick.
- ✓ Marble.
- ✓ Metal.
- ✓ Galvanized steel.
- ✓ PVC.
- ✓ Plastic.
- ✓ Etc.

Advantages

- ✓ Crystal clear.
- ✓ High initial grab.
- ✓ Elastic after curing.
- ✓ Paintable after curing.
- ✓ For indoor and outdoor use.

Certifications



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057651684	Crystal clear	12



SISTEMA MS PANEL

MS Panel Adhesive + Adhesive Tape + Primer



New technology MS elastic adhesive based on high-quality silane-modified polymers. Extra strong, elastic, one-component. Moisture-curing, with a high modulus, ideal for elastic bonding of panels on facades. Suitable for all types of materials such as concrete, brick, marble, tiles, ceramics, fiber cement, galvanized steel, iron, aluminum, wood, etc.

Applications

- ✓ Interior wall coverings.
- ✓ Elastic bonding of panels to facades.
- ✓ Wall decoration.

Advantages

- ✓ Excellent mechanical resistance.
- ✓ Easy application between 5°C and 50°C.
- ✓ Fast curing = high initial tack.
- ✓ Remains elastic after curing.
- ✓ Absorbs vibrations and movement.
- ✓ No primer needed on most materials (only on porous materials: wood, fiber cement, etc.).
- ✓ Excellent adhesion (even on damp surfaces).
- ✓ Low odor (contains no isocyanates, silicones, or solvents).
- ✓ Paintable after curing.
- ✓ Resistant to UV, humidity, and temperature changes.

Double-sided PE foam tape for installing lightweight facades in conjunction with adhesive.

Silicone resin-based primer that acts as an adhesion promoter for sealants:

PRIMER 200: TECNOSIL and EMAX.

PRIMER 300: TECNOSIL, TECNOPUR and EMAX.

Certifications



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057629263	White	12
600ml aluminum bag	8435057629256	White	12
Emax panel tape 12mm x 20m	8435057629270	Black	34
Primer 200 / 950ml bottle.	8435057629584	Crystal clear	1
Primer 300 / 950ml bottle.	8435057629591	Crystal clear	1

TECNOPUR P-40 Polyurethane Adhesive And Sealant - All In 1




Applications

- ✓ Polyurethane adhesive and sealant.
- ✓ Suitable for sealing and bonding most substrates used in the construction industry.
- ✓ Tile bonding.
- ✓ Sealing of contraction and expansion joints in civil and residential construction.
- ✓ Shipyards, sandwich panels, motorhomes...
- ✓ Prefabricated modules in industrialized construction and construction site offices.
- ✓ Paintable after curing.
- ✓ Suitable for interior and exterior use.

Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057670197	White	24
300ml cartridge.	8435057670203	Grey	24
300ml cartridge.	8435057670296	Brown	24
300ml cartridge.	8435057670302	Black	24

Presentation	EAN	Colour	U/Box
600ml aluminum bag	8435057629478	White	12
600ml aluminum bag	8435057629249	Grey	12
600ml aluminum bag	8435057629904	Brown	12
600ml aluminum bag	8435057629911	Black	12



DISPERTEC C-10 General Purpose Acrylic Sealant



Acrylic sealant general purpose acrylic sealant for low movement joints and cracks. Paintable after curing. Contains no solvents or isocyanates.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650120	White	24
300ml cartridge.	8435057650137	Grey	24
600ml aluminum bag	8435057630344	White	12
600ml aluminum bag	8435057629485	Grey	12

DISPERTEC C-15 PRO General Purpose Acrylic Sealant Premium



Premium general-purpose acrylic sealant for sealing low-movement joints and cracks (maximum movement of 12.5%). Paintable after curing. Contains no solvents or isocyanates.

Applications

- ✓ Precast concrete.
- ✓ Masonry profiles.
- ✓ Carpentry work.
- ✓ Window sills.
- ✓ Baseboards.
- ✓ Windows, doors, and frames installed on-site.
- ✓ Cracks prepared before painting.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057630658	White	24

DISPERTEC C-20 Fire-Resistant Acrylic Sealant



Water-based, fire-resistant acrylic sealant. Excellent adhesion to all types of porous substrates used in construction. Paintable after curing. Odorless.

Applications

- ✓ Ventilation and air conditioning ducts.
- ✓ Joints and cracks with minimal movement.
- ✓ Firewalls and slabs.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057630801	Construction grey	24
300ml cartridge.	8435057629287	White	12
600ml aluminum bag	8435057629294	Construction grey	12

DISPERTEC C-25 High Temperature Refractory Putty



Special putty resistant to high temperatures, up to 1500°C. Ideal for sealing stoves, ovens, barbecues, and other high-temperature elements in non-moving joints. Solvent-free. Asbestos-free, making it completely safe for use in domestic and industrial environments. Non-flammable. Non-bleaching.

Applications

- ✓ Wood and pellet stoves
- ✓ Gas stoves and cookers
- ✓ Boilers and central heating systems
- ✓ Repair of small cracks in refractory bricks

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057631051	Black	12

DISPERTEC M-6

Siliconized Acrylic Wood Sealant



Applications

- ✓ Countertops
- ✓ Baseboards
- ✓ Parquet flooring
- ✓ Decking
- ✓ Cabinets
- ✓ Woodwork
- ✓ Door and window trim
- ✓ Etc.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650175	Pine	12
300ml cartridge.	8435057650182	Oak	12
300ml cartridge.	8435057625333	White	12
300ml cartridge.	8435057625401	Light grey	12
300ml cartridge.	8435057650199	Sapelli	12
300ml cartridge.	8435057650977	Beech	12
300ml cartridge.	8435057625418	Dark grey,	12
300ml cartridge.	8435057628754	Walnut	12
300ml cartridge.	8435057650984	Cherry	12
300ml cartridge.	8435057628761	Cancún linen	12





ACETIC SILICONES



TECNOSIL A-100 General Purpose Silicone



Applications

- ✓ Acetic silicone sealant.
- ✓ Specifically designed for bathrooms and kitchens.
- ✓ High resistance to mould growth.
- ✓ Prevents mould growth.
- ✓ For sealing joints in sanitary areas (sinks, kitchens, countertops, and sanitary installations).



Presentation	EAN	Colour	U/Box
280ml cartridge.	8435057650076	Translucent	24
280ml cartridge.	8435057650083	White	24
280ml cartridge.	8435057650816	Grey	24
280ml cartridge.	8435057650717	Black	24

TECNOSIL SANITARIOS Sanitary Silicone



Applications

- ✓ Acetic silicone sealant.
- ✓ Specifically designed for bathrooms and kitchens.
- ✓ High resistance to mould growth.
- ✓ Prevents mould growth.
- ✓ For sealing joints in sanitary areas (sinks, kitchens, countertops, and sanitary installations).



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650878	Translucent	24
300ml cartridge.	8435057650885	White	24

TECNOSIL S-5

Sanitary Silicone For Bathrooms

Special acetic silicone sealant for BATHROOMS AND KITCHENS with a high resistance to mould growth that prevents mould growth. For joints in sinks, stoves, countertops, and toilets.

Applications

- ✓ Specially formulated for use in bathrooms, kitchens, boats, DIY projects, etc.
- ✓ Exhibits good adhesion to non-porous materials such as glass, aluminum, vitreous enamel, etc.

Advantages

- ✓ Fast drying (2 hours)
- ✓ Elastic
- ✓ Easy to smooth
- ✓ Long-lasting


Certifications



App video



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057632171	Translucent	24
290ml cartridge.	8435057632256	White	24
100g tube.	8435057632249	Translucent	12
100g tube.	8435057632263	White	12





NEUTRAL SILICONES



TECNOSIL N-71

Silicone Construction



Applications

- ✓ High-quality, professional-grade, low-modulus, neutral silicone sealant.
- ✓ Suitable for use on glass, PVC, aluminum, cement, concrete, expansion joints, etc.

Presentation	EAN	Colour	U/Box
280ml cartridge.	8435057650076	Translucent	24
280ml cartridge.	8435057650083	White lacquer	24

TECNOSIL N-76

High Performance Silicone



Advantages

- ✓ Neutral silicone sealant.
- ✓ Professional-grade.
- ✓ Specially formulated for aluminium and PVC.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057628563	Translucent	24
300ml cartridge.	8435057628570	White lacquer	24
300ml cartridge.	8435057628556	White	24
300ml cartridge.	8435057628587	Grey	24
300ml cartridge.	8435057628594	Black	24
600ml aluminum bag	8435057628549	Translucent	12

TECNOSIL N-80

Premium Silicone



Advantages

- ✓ Neutral silicone sealant.
- ✓ High performance.
- ✓ 100% Silicone.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650168	Translucent	24
300ml cartridge.	8435057651325	White	24
300ml cartridge.	8435057625500	White lacquer	24
300ml cartridge.	8435057650304	Grey	24
300ml cartridge.	8435057650311	Black	24

TECNOSIL S-10

Premium Neutral Bath Silicone



Use in damp areas, bathrooms and kitchens. 10 times more mold-resistant than standard silicone. Exceptional adhesion to multiple substrates and high adaptability to movement.

Advantages

- ✓ Dries in 25 minutes
- ✓ Mold-resistant
- ✓ Odorless
- ✓ Easy to straighten
- ✓ Long-lasting
- ✓ Elastic

Certifications



App video

Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057632188	Translucent	12
290ml cartridge.	8435057632287	White	12
100g tube.	8435057632270	Translucent	12
100g tube.	8435057632294	White	12

TECNOSIL N-COLOR Colored Silicone



Applications

- ✓ Sealing of joinery to the structure and between joinery elements.
- ✓ Sealing of doors and windows.
- ✓ Sealing of construction joints (expansion, static, etc.).
- ✓ Sealing of glazing.
- ✓ Sealing of PVC elements.

Advantages

- ✓ 100% RTV.
- ✓ High UV protection.
- ✓ For indoor and outdoor use.
- ✓ Mold-resistant.
- ✓ High elasticity and adhesion.
- ✓ Odorless.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057631631	White PVC	12
300ml cartridge.	8435057651165	Bronze	12
300ml cartridge.	8435057620284	Inox	12
300ml cartridge.	8435057603430	Ral 1013	12
300ml cartridge.	8435057608855	Ral 1015	12
300ml cartridge.	8435057625524	Ral 3005	12
300ml cartridge.	8435057631617	Ral 5010	12
300ml cartridge.	8435057625531	Ral 6005	12
300ml cartridge.	8435057625548	Ral 6009	12
300ml cartridge.	8435057651219	Ral 7011	12
300ml cartridge.	8435057612791	Ral 7016	12
300ml cartridge.	8435057651233	Ral 7022	12
300ml cartridge.	8435057625654	Ral 7024	12
300ml cartridge.	8435057631600	Ral 7035	12
300ml cartridge.	8435057625517	Ral 8003	12
300ml cartridge.	8435057625555	Ral 8007	12
300ml cartridge.	8435057651639	Ral 8014	12
300ml cartridge.	8435057612586	Ral 8017	12
300ml cartridge.	8435057651172	Ral 9006	12
300ml cartridge.	8435057629966	Ral 9007	12
300ml cartridge.	8435057631655	Silver	12
300ml cartridge.	8435057631662	Pine	12
300ml cartridge.	8435057631679	Beech	12
300ml cartridge.	8435057631686	Sapelli	12
300ml cartridge.	8435057631693	Oak	12
300ml cartridge.	8435057631709	Chestnut	12

TECNOSIL N-81

Silicone Curtain Wall



Applications

- ✓ Neutral silicone.
- ✓ Watertight sealing for windows, curtain walls, structural glazing facades, ventilated facades, etc.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057630153	Black	24
600ml aluminum bag	8435057630146	Black	12

TECNOSIL N-84

Maximum Performance



Advantages

- ✓ Neutral silicone sealant.
- ✓ 100% Silicone.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057630122	Translucent	24
300ml cartridge.	8435057630139	White	24

TECNOSIL N-87 HT High Temperature Silicone



Applications

- ✓ Neutral silicone sealant.
- ✓ Sealing of parts subjected to high service temperatures.
- ✓ Service resistance from -40°C to +300°C and continuous operation, with peaks up to 330°C.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057620857	Black	12

TECNOSIL N-88 FIRE STOP Fire-Resistant Silicone



Advantages

- ✓ Maximum performance
- ✓ Fire resistant.

Applications

- ✓ Sealing of fire-resistant joints of doors and windows, expansion joints, smoke and heat evacuation systems, sealing of connections, pipes, cable passages and electrical panels in buildings and industry.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057631129	White	24
300ml cartridge.	8435057631136	Construction grey	24

TECNOSIL N-90

Silicone Mirrors



Applications

- ✓ Neutral silicone sealant.
- ✓ Specially for bonding PANELS and MIRRORS.

Certifications



Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650694	Translucent	24
300ml cartridge.	8435057650700	White	24

TECNOSIL N-99

Silicone Structure



Advantages

- ✓ One-component, neutral-cure elastomeric adhesive-sealant.
- ✓ High strength for curtain wall applications with structural glass.

Applications

- ✓ Suitable for structural glazing and other bonding applications where high mechanical performance is required.

Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057630900	Black	24



POLYURETHANE FOAMS



TECNOFOAM / Espuma de Poliuretano Profesional / Adhesivos y Selladores

Alto Rendimiento - Ahorro Energético - Calidad Profesional



TECNOFOAM C-100



TECNOFOAM P-100



TECNOFOAM C-20 PRO



TECNOFOAM P-20 PRO

APPLICATION	Multipurpose	Multipurpose	Sealing / Fastening / Filling	Sealing / Fastening / Filling
APPLICATOR	Cannula	Gun	Cannula	Gun
CONTENT	750 ml.	750 ml.	750 ml.	750 ml.
PERFORMANCE	40 L	40 L	45 L	45 L
SOUND INSULATION	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)
THERMAL INSULATION	0,033 W/(m.K)	0,033 W/(m.K)	0,033 W/(m.K)	0,033 W/(m.K)
POST-EXPANSION	Medium	Medium	Medium	Medium
CUT-OFF TIME	30 min	30 min	20 min	20 min
APPLICATION TEMPERATURE	+5°C - +30°C	+5°C - +30°C	+5°C - +30°C	+5°C - +30°C
COLOR	Yellow	Yellow	Yellow	Yellow



TECNOFOAM P-30 SPRAY



TECNOFOAM P-60 DUAL



TECNOFOAM P-65 PRO



TECNOFOAM FS-20 PRO

APPLICATION	Projectable, thermal and acoustic insulation	Fixing roof tiles	Fixing roof tiles	Fire Stop: Fire resistance up to 4 hours.
APPLICATOR	Gun	Spray gun with 2 nozzles	Gun	Gun
CONTENT	750 ml.	750 ml.	750 ml.	750 ml.
PERFORMANCE	3 m ² for a thickness of 1.5 cm.	50 L	50 L	45 L
SOUND INSULATION	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)	62 dB (EN-ISO 10140)
THERMAL INSULATION	0,025 - 0,03 W/(m.K)	0,033 W/(m.K)	0,033 W/(m.K)	0,033 W/(m.K)
POST-EXPANSION	High	Low	Low	Medium
CUT-OFF TIME	60 min	30 min	30 - 40 min	< 30 min
APPLICATION TEMPERATURE	+5°C - +30°C	+5°C - +30°C	+5°C - +30°C	+5°C - +30°C
COLOR	Blue	Brick red	Grey	Pinkish

TECNOFOAM C-100 Y P-100

Universal PU Foam



Applications

- ✓ Adhesion, sealing, and filling.
- ✓ Thermal and acoustic insulation.
- ✓ Filling and sealing cracks and holes.
- ✓ High performance.

Certifications



Presentation	EAN	Colour	U/Box
C-100 spray 750ml.	8435057600545	Yellow	12
P-100 spray 750ml.	8435057600552	Yellow	12

TECNOFOAM C-20 PRO Y P-20 PRO

Universal PU Foam



Applications

- ✓ High-quality foam.
- ✓ Adhesion, sealing, and filling.
- ✓ Fills and seals cracks and holes.
- ✓ High yield up to 45 L.

Certifications



Presentation	EAN	Colour	U/Box
C-20 pro spray 750ml.	8435057631501	Yellow	12
P-20 pro spray 750ml.	8435057631518	Yellow	12

TECNOFOAM P-30 SPRAY

Projectable PU Foam



Advantages

- ✓ Polyurethane foam with applicator.

Applications

- ✓ Thermal and acoustic insulation for partition walls.
- ✓ For interior and exterior buildings, window slopes, irregular and rough surfaces, etc.
- ✓ Paintable after curing.

Certifications



Presentation	EAN	Colour	U/Box
750ml spray.	8435057631525	Blue	12

TECNOFOAM FS-20 PRO

Fire Resistant PU Foam



Advantages

- ✓ Fire resistant B1, according to DIN 4102-1.
- ✓ Fire resistance up to EI 240 according to EN 13501-2.
- ✓ High performance.
- ✓ Excellent thermal and acoustic insulation.

Applications

- ✓ For fixing and filling applications requiring fire resistance.

Certifications



Presentation	EAN	Colour	U/Box
750ml spray.	8435057611459	Pinkish	12

TECNOFOAM P-60 DUAL

2-in-1 PU Foam For Roof Tiles



Advantages

- ✓ Exceptional long-lasting adhesion.
- ✓ High performance.
- ✓ Dual application: manual or gun grade.

Applications

- ✓ Adhesive polyurethane foam.
- ✓ Bonding and installation of all types of roof tiles to concrete, mortar, wood, or fiber cement surfaces.

Certifications



Presentation	EAN	Colour	U/Box
750ml spray.	8435057610728	Brick red	12

TECNOFOAM P-65 PRO

PU Foam Fixing



Advantages

- ✓ Exceptional long-lasting adhesion.
- ✓ High performance.

Applications

- ✓ Adhesive polyurethane foam.
- ✓ Bonding and installation of all types of roof tiles to concrete, mortar, wood, or fiber cement surfaces.

Certifications



Presentation	EAN	Colour	U/Box
750ml spray.	8435057631532	Grey	12

TECNOFOAM L PU Foam Cleaner

Spray cleaner for cleaning guns and removing residues of polyurethane foams in a non-crosslinked state.



Presentation	EAN	Colour	U/Box
500ml spray.	8435057676250	Colourless	12

PISTOLA ESPUMA PE-750 PU QS Foam Gun

Professional-grade high-performance foam gun.



Presentation	EAN	Colour	U/Box
Custom packaging	8435057676557	Red	1



MOUNTING ADHESIVES



SUPERTEC KIT INSTANT

Direct Bond Mounting Adhesive

¡NEW!



Advantages

- ✓ Direct bond mounting adhesive.
- ✓ Instant hold.
- ✓ Extra strong.
- ✓ Super adhesion: 60 kg/cm².

Applications

- ✓ Suitable for multiple materials.
- ✓ Indoor and outdoor use.
- ✓ Suitable for all fixing applications.
- ✓ Construction.
- ✓ Decoration.
- ✓ DIY.

Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057651349	Beige	24
100g tube.	8435057635950	Beige	12



SUPERTEC KIT CLEAR Invisible Bonding



Advantages


- ✓ Suitable for various types of fixings in construction, decoration, and DIY projects.

Applications

- ✓ Mounting adhesive.
- ✓ Crystal clear.
- ✓ Direct bonding.
- ✓ Instant hold.
- ✓ Extra strong.
- ✓ Suitable for multiple materials.
- ✓ For indoor and outdoor use.

Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057619844	Crystal	12

DISPERTEC KIT Water-Based



Advantages

- ✓ Solvent-free
- ✓ Fast and strong bonding
- ✓ Safe for expanded polystyrene
- ✓ Can be cleaned with water
- ✓ SUPER ADHESION 75 kg/cm²

Applications

- ✓ Mounting adhesive
- ✓ Suitable for multiple materials
- ✓ For indoor and outdoor use

Presentation	EAN	Colour	U/Box
300ml cartridge.	8435057650953	Beige	24

PLASTIPOL 333 THIXO

D4 Polyurethane Mounting Adhesive



Advantages

- ✓ Polyurethane mounting adhesive.
- ✓ One-component, moisture-curing.
- ✓ Water-resistant (UNE EN-204 D4 standard).
- ✓ Fast-drying with high adhesive strength.
- ✓ Solvent-free.


Applications

- ✓ Specifically designed for wood.
- ✓ Suitable for indoor and outdoor use.
- ✓ Multiple applications

Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057622257	Light brown	12

PLASTIPOL 444

D4 Polyurethane Adhesive



Advantages

- ✓ Structural polyurethane adhesive
- ✓ One-component.
- ✓ High moisture resistance (D4).
- ✓ Open time: approx. 10 minutes

Applications

- ✓ Wood combined with metal, stone, concrete, formica, and plastics.
- ✓ Professional-grade construction.
- ✓ Shipbuilding industry.

Presentation	EAN	Colour	U/Box
750g bottle.	8435057611282	Brown	6

EMAX MS-D4 MS Base Single-Component Adhesive

¡NEW!



Advantages

- ✓ Very fast curing.
- ✓ No primer needed.
- ✓ Odorless.
- ✓ Excellent multi-sided adhesion.
- ✓ Excellent chemical resistance.
- ✓ Good adhesion to damp surfaces.
- ✓ Paintable after curing
- ✓ Free of isocyanates, silicones, and solvents.
- ✓ Excellent weather resistance.
- ✓ Excellent UV resistance.
- ✓ Professional-grade quality.
- ✓ Easy application.
- ✓ Water resistant.
- ✓ Non-foaming action.

Applications

- ✓ Suitable for bonding a wide range of materials.
- ✓ All types of wood and particleboard or fiberboard, laminates, plastics (melamine, polyester, PVC, Formica), cement, concrete, steel, plaster, ceramic materials, rigid foams, etc.; with each other or with other substrates.
- ✓ Suitable for the manufacture of windows, doors, formwork panels, bathroom furniture, gluing pedestals to raised floors, sauna manufacturing, composite boards, etc.
- ✓ Recommended for marine applications and in the manufacture of wooden structures.

Certifications

D4 (DIN EN 204)
Resistencia al agua

Watt 91
(DIN EN 14257)
Resistencia térmica

Presentation	EAN	Colour	U/Box
750g bottle.	8435057636971	White	6



ADHESIVES AND SEALANTS ...BY THE TUBE





CONTACT ADHESIVES



SUPERTEC EXTRA

High Performance Contact Adhesive



Advantages

- ✓ High-performance contact adhesive.
- ✓ Excellent adhesion.
- ✓ High resistance to humidity and temperature.
- ✓ Fast drying.

Applications

- ✓ Excellent adhesion to: wood, leather, rubber, natural cork, fabrics, artificial turf, cardboard, ceramics, metals, marble, etc.

Presentation	EAN	Colour	U/Box
250ml bottle.	8435057620833	Yellow	12
500ml bottle.	8435057623056	Yellow	12
1l bottle.	8435057620840	Yellow	12
4l tin.	8435057607162	Yellow	1
20l bucket.	8435057621335	Yellow	1



SUPERTEC 5400

Gun-Appliable Contact Adhesive



Advantages

- ✓ Sprayable contact adhesive.
- ✓ High resistance to temperature and humidity.
- ✓ High adhesive strength and initial tack.
- ✓ Suitable for indoor or outdoor use.

Applications

- ✓ Ideal for the wood, construction, furniture, bodywork, automotive, shipbuilding, etc. industries.



Presentation	EAN	Colour	U/Box
20l bucket.	8435057602785	Red	1

SUPERTEC 9025 F

Gun-Appliable Contact Adhesive



Advantages

- ✓ Sprayable synthetic contact adhesive.
- ✓ High initial tack, long open time, and excellent adhesion.

Applications

- ✓ Specially developed for the upholstery, furniture, construction and footwear industries.



Presentation	EAN	Colour	U/Box
20l bucket.	8435057607049	Yellowish	1

SUPERTEC PVC

Adhesive For Rigid PVC Pipes

¡NEW!

Advantages

- ✓ Suitable for high and low pressure.
- ✓ Built-in brush.

Applications

- ✓ Special adhesive for bonding rigid PVC pipes.



Presentation	EAN	Colour	U/Box
100ml tube. (NEW)	8435057635936	Crystal clear	12
500ml bottle	8435057620048	Crystal clear	12
1l bottle	8435057620055	Crystal clear	12

DISOLVER PVC

Rigid PVC Pipe Cleaner

Advantages

- ✓ Rigid PVC cleaning solvent.



Presentation	EAN	Colour	U/Box
1l bottle	8435057660372	Crystal clear	1



WHITE TAIL



DISPERTEC UNIVERSAL

Universal White Glue



Advantages

- ✓ General purpose white glue.

Applications

- ✓ Wood and furniture.



Presentation	EAN	Colour	U/Box
1kg tub.	8435057630023	White	12
7kg bottle.	8435057684033	White	1
32kg bottle.	8435057630764	White	1

DISPERTEC PRO 2

Fast White Tail



Advantages

- ✓ Fast-drying white glue.
- ✓ Clear finish.

Applications

- ✓ Wood and furniture.



Presentation	EAN	Colour	U/Box
125g bottle.	8435057631624	White	24
250g bottle.	8435057631648	White	24
500g bottle.	8435057631365	White	12
6kg bottle.	8435057683340	White	1
30kg bottle.	8435057630962	White	1

DISPERTEC PRO 3 High Humidity White Glue



Advantages

- ✓ High resistance to humidity D3.

Applications


- ✓ White wood glue.

Presentation	EAN	Colour	U/Box
500g bottle.	8435057609760	White	24
6kg bottle.	8435057683531	White	1
30kg bottle.	8435057630870	White	1





DECORATION



DISPERTEC VINIL MX-2326

Vinyl Glue



Advantages

- ✓ Special adhesive for gluing thick and heavy wallpapers.

Applications

- ✓ Universal, all types of wallpaper and vinyl paper.



Presentation	EAN	Colour	U/Box
800g tub.	8435057631242	Crystal clear	12
4kg bucket.	8435057631259	Crystal clear	1

DISPERTEC PAPEL PINTADO

Cellulose Glue Powder



Advantages

- ✓ Cellulosic glue powder.

Applications

- ✓ Universal, all types of wallpaper and vinyl paper.



Presentation	EAN	U/Box
125g box.	8435057670005	28

EMAX MS-75

MS Artificial Turf Adhesive One Component



New technology adhesive based on high quality silane-modified polymers, single component, ready to use, has a high modulus and remains elastic after curing.

Advantages

- ✓ Approximate coverage: 0.8-1.2 kg/m² (25 linear meters).
- ✓ Apply with a squeegee or roller.
- ✓ Excellent adhesion and chemical resistance.
- ✓ Good adhesion to damp surfaces.
- ✓ Bonds even underwater.
- ✓ Product free of isocyanates and silicones.
- ✓ Excellent resistance to weathering and UV radiation.

Applications

- ✓ Artificial turf.
- ✓ Padel courts.
- ✓ Golf courses.
- ✓ Garden carpets.

Presentation	EAN	Colour	U/Box
6kg bucket.	8435057625616	Green	1

PLASTIPOL SUPER CESPED PACK

Bicomponent Polyurethane Adhesive



High-performance adhesive specially designed for bonding artificial turf, based on polyurethane and cross-linked by chemical reaction when the two components are mixed.

Advantages

- ✓ Meets FIFA requirements (EN-15330-1:2007 standard).
- ✓ Approximate yield: 0.8 - 1.2 kg/m².
- ✓ Creates strong and flexible bonds.
- ✓ High resistance to heat, chemicals, and humidity.
- ✓ 100% solids and completely solvent-free.

Applications

- ✓ Artificial turf.
- ✓ Padel courts.
- ✓ Golf courses.
- ✓ Garden carpets.

Certifications

FIFA For the Game. For the World.
EN-15330-1:2007

Presentation	EAN	Colour	U/Box
5,4kg bucket.	8435057611473	Green	1
10,8kg bucket.	8435057633680	Green	1

EMAX MS-70 VERDE

MS Adhesive Artificial Grass



Single-component adhesive based on MS technology, specially formulated for bonding, repairing, and installing artificial grass. Applicable when wet.

Advantages

- ✓ Hybrid polymer.
- ✓ Eco-friendly.
- ✓ Odorless.
- ✓ Moisture-resistant.
- ✓ Elastic.

Applications

- ✓ Artificial turf and rubber flooring.
- ✓ Rubber, PVC, and vertical gardens.

Certifications



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057605557	Green	12

TECNOFIBRA OP 30

Geotextile For Artificial Turf



Waterproof multi-layer geotextile membrane for the installation of ARTIFICIAL TURF.

Advantages

- ✓ Cost savings.
- ✓ Easier and faster installation at joint intersections with marking.
- ✓ Extends the service life of the installation in good condition.
- ✓ Gives the adhesive good dimensional stability and improves tear resistance.
- ✓ Very thin.
- ✓ Easy to cut.
- ✓ Rot-proof, does not grow mold.
- ✓ Easily recyclable material.
- ✓ Maintains its effectiveness indefinitely.
- ✓ Waterproof.

Applications

- ✓ Ornamental installation.
- ✓ Sports installation.

Presentation	EAN	Colour	U/Box
25m x 26cm	8435057676496	Green	1
100m x 26cm	8435057676298	Green	1
100m x 30cm	8435057630832	White	1



DISPERTEC AR-7329

One-Sided Adhesive For Flooring/Carpets



Special adhesive for the interior installation of plastic and textile coverings (PVC, linoleum and carpets) on floors and walls.

Advantages

- ✓ High initial tack
- ✓ Contains fungicide: prevents mold and bacteria growth (essential in very humid climates).
- ✓ Fast and powerful initial setting. Once dry, it forms a tough, elastic film that perfectly withstands heavy traffic.

Applications

- ✓ Vinyl flooring
- ✓ Natural cork flooring
- ✓ Natural flooring: linoleum, coconut, and jute
- ✓ Semi-flexible vinyl tiles
- ✓ Carpets with latex, expanded polyurethane, natural jute, and synthetic backings.



Presentation	EAN	Colour	U/Box
1kg tub.	8435057631211	Yellowish	24
5kg bucket.	8435057631228	Yellowish	1
20kg bucket.	8435057634878	Yellowish	1

DISPERTEC AR-7532

Unilateral Adhesive for High-Traffic Flexible Pavements

¡NEW!



Advantages

- ✓ Features high initial tack, final cohesion, and excellent multi-surface adhesion. Odourless, suitable for wheelchair traffic and floors with underfloor heating.

Applications

- ✓ Ideal for rubber and gum flooring, PVC (homogeneous, heterogeneous, and LVT), natural cork, linoleum, jute, and coir. Suitable for semi-flexible vinyl tiles, carpets with latex/polyurethane backing, woven polyester coverings, and PVC wall coverings.

Substrates:

- ✓ Applicable to cement-based levelling compounds, mortar, plaster, timber, MDF, terrazzo, ceramics, and tiles.



Certifications



Presentation	EAN	Colour	U/Box
5kg bucket.	8435057631792	Beige	1
20kg bucket.	8435057611268	Beige	1

DISPERTEC AR-7277

Unilateral Adhesive for Self-Supporting Pavements

Solvent-free aqueous dispersion adhesive, single-sided application, long open time.

Advantages

- ✓ High initial tack.
- ✓ Once dry, it has permanent tackiness.
- ✓ Solvent-free.
- ✓ Very low volatile organic compound (VOC) content.
- ✓ Allows for easy removal and replacement of the pavement.
- ✓ Contains fungicide: prevents the formation of mold and bacteria.

Applications

- ✓ Self-supporting vinyl flooring in planks and tiles.
- ✓ Semi-flexible vinyl tiles.
- ✓ Carpets with latex, expanded polyurethane, natural jute, and synthetic backings.

Substrates:

- ✓ Standard absorbent and moisture-stable subfloors used in construction (leveling compounds, cement, wood, etc.)



Presentation	EAN	Colour	U/Box
4kg bucket.	8435057611343	Yellowish	1



PLASTIPOL SUPERFLEX PACK / 2K Polyurethane Adhesive for Flexible Flooring



Two-component adhesive consisting of a polyurethane polymer, part A, and a special hardener, part B.

Advantages

- ✓ Elastic,
- ✓ Resistant to moisture, water, heat, and weathering.
- ✓ Excellent adhesion characteristics

Applications

- ✓ Rubber, PVC, vinyl, and textile flooring in rolls or tiles for indoor and outdoor use, suitable for heavy traffic.
- ✓ Includes rubber sports flooring (athletic tracks).
- ✓ Can be installed over existing flooring.
- ✓ Prefabricated sandwich panels for movable walls in various materials.
- ✓ Strips for tensioned carpeting.
- ✓ Installation on a variety of substrates: cement, asphalt, metal, wood, old ceramic tiles, PVC, rubber, or other non-absorbent surfaces.



Presentation	EAN	Colour	U/Box
9,6kg bucket pack.	8435057633277	Beige	1

EMAX MS-80 / MS Adhesive For Parquet And Decking



New technology adhesive based on high-quality, one-component, silane-modified polymers (ready to use).

Advantages

- ✓ Excellent adhesion and chemical resistance.
- ✓ Good adhesion to damp surfaces.
- ✓ Free of solvents, isocyanates, and silicones with very low emissions of volatile organic compounds.


Applications

- ✓ Suitable for laying and bonding all types of parquet, flooring, and laminates (rubber, PVC, EPDM, pre-finished) on any substrate.
- ✓ On cementitious substrates, ceramic, wood, etc.
- ✓ Ideal for radiant heating and cooling systems.

Certifications



Presentation	EAN	Colour	U/Box
18kg bucket.	8435057620550	Beige	1



DISPERTEC TACK PRIMER

Water Adhesion Bridge (low tack)

¡NEW!



A water-based synthetic latex primer with high solids content and excellent adhesion. Designed as a bonding agent between construction materials, it stands out for having the lowest tack level in the range.

Advantages

- ✓ High solids content.
- ✓ Excellent adhesion.
- ✓ Lowest tack version within the range.
- ✓ High penetration.
- ✓ Can be recoated with any water-based paint.
- ✓ Solvent-free.
- ✓ Easy application and tool cleanup.

Applications

- ✓ Ideal for improving the adhesion of mortars (in situ, dry, or pre-mixed).
- ✓ Leveling compounds, plasters, gypsum, and other porous mineral substrates.

Presentation	EAN	Colour	U/Box
5kg bucket.	8435057693363	Blue	1



DISPERTEC ME-6324 Special Adhesive For Acoustic / Decorative Panels

¡NEW!



It has excellent wet adhesion. Specially formulated for fixing insulating boards, expanded polystyrene pieces, and acoustic panels.

Advantages

- ✓ Water-based adhesive sealant
- ✓ Ideal for panel fixing.
- ✓ High initial tack

Applications

- ✓ Installation of expanded polystyrene panels or moldings.
- ✓ Rock wool, fiberglass, wood panels...
- ✓ Applicable to ceilings and walls.
- ✓ Adheres to concrete, cement, plaster, wood...

Certifications



Presentation	EAN	Colour	U/Box
10kg bucket.	8435057615150	Beige	1



SUPERTEC CIANO PROF

Cyanoacrylate Adhesive For Professional-Grade Use



Advantages

- ✓ Medium viscosity cyanoacrylate specifically designed for fast assembly operations.

Applications

- ✓ Metals.
- ✓ Rubbers.
- ✓ Plastics.
- ✓ Ceramics.
- ✓ Leather.
- ✓ Glass.
- ✓ Wood.
- ✓ Textiles.

Presentation	EAN	Colour	U/Box
20ml bottle.	8435057670050	Translucent	12

KIT SUPERTEC CIANO

Supertec Cyano M Kit 50g. And Supertec Ac 200ml



Advantages

- ✓ Medium-to-high viscosity cyanoacrylate specifically designed for rapid assembly operations of porous materials.
- ✓ Cyanoacrylate activator designed to accelerate the curing of thick layers of adhesive or for post-curing of excess adhesive.
- ✓ Prevents the absorption of low-viscosity adhesives applied to porous surfaces.
- ✓ Helps fill gaps where a decrease occurs in polymerization time.

Applications

- ✓ Metals.
- ✓ Rubber.
- ✓ Plastics.
- ✓ Ceramics.
- ✓ Leather.
- ✓ Glass.
- ✓ Wood.
- ✓ Textiles.

Presentation	EAN	Colour	U/Box
Pack	8435057600576	Translucent	12



THERMAL FUSES



TERMOLITE TE-300 PLUS Super Adhesion



High-quality, high-adhesion hot melt adhesive. Suitable for a wide variety of materials and applications.

Applications

- ✓ Industrial/Professional-grade.
- ✓ Crafts.
- ✓ Home repairs.
- ✓ Decoration.
- ✓ Lightweight packaging.

Certifications



Product	Format	Code	Colour	Dimensions	Box Weight	Softening Point	Viscosity (180°C)	Open time	Setting time
Termolite TE-300 Plus	Box of 10 packs 12 bars (250g.)	8435057634984	Translucent	Ø12 x 200 mm	2,5 Kg	88±92°C	8500-11000	Long (20-25)	3s.
	Box of 10 packs 24 bars (500g.)	8435057634854	Translucent	Ø12 x 200 mm	5 Kg	88±92°C	8500-11000	Long (20-25)	3s.
	Box of 10 bags (1Kg each).	8435057629140	Translucent	Ø12 x 300 mm	10 Kg	88±92°C	8500-11000	Long (20-25)	3s.
	Box of 10 bags (1Kg each).	8435057629379	Translucent	Ø12 x 200 mm	10 Kg	88±92°C	8500-11000	Long (20-25)	3s.

Application temperature 170-200°C

TERMOLITE TE-322 Wood/Cardboard

¡NEW!



High-quality, high-adhesion hot melt adhesive. Suitable for a wide variety of materials and applications.

Applications

- ✓ Ideal for packaging, wrapping, and wood.
- ✓ Upholstery.
- ✓ Footwear.
- ✓ Paper.


Certifications



Product	Format	Code	Colour	Dimensions	Box Weight	Softening Point	Viscosity (180°C)	Open time	Setting time
Termolite TE-322	Box of 10 packs 12 bars (250g)	8435057635677	Amber	Ø12 x 200 mm	2,5 Kg	88±92°C	8500-11000	Long (20-25)	3s.
	Box of 10 packs 24 bars (500g)	8435057635684	Amber	Ø12 x 200 mm	5 Kg	88±92°C	8500-11000	Long (20-25)	3s.
	Box of 10 bags (1Kg each).	8435057623513	Amber	Ø12 x 300 mm	10 Kg	88±92°C	9000-12000	Long (20-25)	3s.

Application temperature 170-200°C

TERMOLITE TE-325 PLUS General Professional Use / Suitable For PVC / Cable



High-quality, high-adhesion hot melt adhesive. Suitable for a wide variety of materials and applications.

Applications

- ✓ Suitable for electronics and PVC applications
- ✓ Laminated cardboard
- ✓ Upholstery
- ✓ Packaging
- ✓ Wood
- ✓ Footwear

Certifications



Product	Format	Code	Colour	Dimensions	Box Weight	Softening Point	Viscosity (180°C)	Open time	Setting time
Termolite TE-325 Plus	Box of 10 bags (1Kg each).	8435057632324	Amber	Ø12 x 300 mm	10 Kg	90±95°C	4000-7000	Long (20-25)	2s.

Application temperature 170-200°C

TERMOLITE TE-312 Invisible Bonding



High-quality, high-adhesion hot melt adhesive. Suitable for a wide variety of materials and applications.

Applications

- ✓ Invisible bonding.
- ✓ Home repairs.
- ✓ Decoration.
- ✓ Lightweight packaging.
- ✓ Footwear.
- ✓ Upholstery

Certifications



Product	Format	Code	Colour	Dimensions	Box Weight	Softening Point	Viscosity (180°C)	Open time	Setting time
Termolite TE-312	Box of 10 packs 12 bars (250g)	8435057634991	Crystal clear	Ø12 x 200 mm	2,5 Kg	75±85°C	10000-15000	Medium (15-20)	3s.
	Box of 10 packs 24 bars (500g)	8435057635004	Crystal clear	Ø12 x 200 mm	5 Kg	75±85°C	10000-15000	Medium (15-20)	3s.
	Box of 10 bags (1Kg each).	8435057623780	Crystal clear	Ø12 x 300 mm	10 Kg	75±85°C	10000-15000	Medium (15-20)	3s.
	Box of 10 bags (1Kg each).	8435057635196	Crystal clear	Ø12 x 200 mm	10 Kg	75±85°C	10000-15000	Medium (15-20)	3s.

Application temperature 170-200°C

TERMOLITE TE-50 “HolzHer” Hot Melt Adhesive



Advantages

- ✓ High performance.

Applications

- ✓ Edge gluing on a HolzHer machine.



Presentation	EAN	Colour	U/Box
Box	8435057601832	Crystal clear	10,35 Kg / box

TERMOLITE TE-40 “HolzHer” Hot Melt Adhesive



Advantages

- ✓ High performance.

Applications

- ✓ Edge gluing on a HolzHer machine.



Presentation	EAN	Colour	U/Box
Box	8435057602808	Natural	14,75 Kg / box
Box	8435057606875	White	14,90 Kg / box
Box	8435057607292	Brown	14,75 Kg / box

TERMOLITE TE-27

High Performance



Advantages

- ✓ High-performance hot melt adhesive.
- ✓ Ideal for applications requiring invisible joints.
- ✓ High yield.
- ✓ High initial tack.
- ✓ Medium open time.
- ✓ Invisible joints.

Applications

- ✓ Specially formulated for use in automatic edgebanders.



Presentation	EAN	Colour
20kg film bag.	8435057611947	Crystal clear

TERMOLITE TE-38

High Performance - For Curved Edges



Advantages

- ✓ High-performance hot melt adhesive.
- ✓ Ideal for applications requiring invisible joints.
- ✓ High yield.
- ✓ High initial tack.
- ✓ Medium open time.
- ✓ Invisible joints.

Applications

- ✓ Specially formulated for use in automatic edgebanders.



Presentation	EAN	Colour
20kg film bag.	8435057615419	Crystal clear

TERMOLITE TE-45

For Low - Speed Manual Machines

Advantages

- ✓ Universal hot melt adhesive.
- ✓ Low application temperature.
- ✓ High initial tack.
- ✓ Long open time.

Applications

- ✓ Specially formulated for use in manual and/or low-speed edgebanders.



Presentation	EAN	Colour
25kg film bag.	8435057612104	Natural

TERMOLITE TE-81

For Automatic Machines

Advantages

- ✓ Universal hot-melt adhesive.
- ✓ High initial tack.
- ✓ Medium open time.

Applications

- ✓ Specially formulated for use in automatic edgebanding machines.
- ✓ Suitable for bonding solid wood, chipboard, MDF and other particleboard, with different types of edging.



Presentation	EAN	Colour
25kg film bag.	8435057612425	Natural



CONSTRUCTION



DISPERTEC FAST Antifreeze And Accelerant



Concrete and cementitious mortar accelerator based on a suspension of inorganic nanoparticles that enhance the cement hydration process. Ready-to-use additive.

Advantages

- ✓ Enhanced antifreeze and setting accelerator properties.
- ✓ Anti-corrosive for reinforced concrete.
- ✓ Reduced setting and formwork times.
- ✓ Corrosion inhibitor.

Applications

- ✓ It is added to the concrete during mixing, with a recommended dosage of 1–3% of the cement weight.

Certifications



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057634045	White	12
5kg bottle.	8435057634021	White	1
25kg bottle.	8435057634038	White	1



LUBRIPOL 11 Universal Form Release



Direct application oil used for demolding and formwork removal of prefabricated concrete, cement, etc.

Advantages

- ✓ Professional-grade, easy-to-apply synthetic oil.
- ✓ Does not stain concrete.
- ✓ Extends the lifespan of formwork.
- ✓ Provides a flawless finish on exposed concrete.
- ✓ Offers corrosion protection for metal surfaces.

Applications

- ✓ Formwork removal from precast concrete, cement, exposed concrete, and mortars.
- ✓ Demolding of technical, thermoformed, and injection-molded parts.

Presentation	EAN	Colour	U/Box
5kg bottle.	8435057600354	Pale	1
25kg bottle.	8435057623711	Pale	1



DISPERTEC PL PRO Plasticizer/ Air Enhancer For Cement Concrete



Liquid plasticizing additive ideal for making mortars and concretes with great workability and manageability, it allows increasing the amount of air occluded in mortars and concretes, introducing small air bubbles of controlled size and spacing.

Advantages

- ✓ Improves performance under freeze-thaw cycles.
- ✓ Provides excellent workability and plasticity to concrete and mortars.
- ✓ Ideal for compensating for poor particle size distribution and a lack of fines. Improves and facilitates placement.

Applications

- ✓ Ideal for making mortars and concretes.

Certifications



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057633505	Colourless	12
5kg bottle.	8435057633499	Colourless	1
25kg bottle.	8435057633512	Colourless	1



DISPERTEC AQUAPROOF Waterproofing For Concrete And Cement



Waterproofing additive.

Advantages

- ✓ Reduces and inhibits efflorescence.
- ✓ Improves resistance to freeze-thaw cycles.
- ✓ Retards the growth of algae and moss on the surface.
- ✓ Does not alter (in fact, it homogenizes) the surface finish.
- ✓ Reduces water absorption by the piece.
- ✓ Reduces dirt accumulation on the surface.
- ✓ Easily dispersible.

Applications

- ✓ Preparation of mortar and concrete mixes.

Certifications



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057633529	White	12
5kg bottle.	8435057633536	White	1
25kg bottle.	8435057633543	White	1



PRIMER 900 PRO Polyurethane Adhesion Promoter and Moisture Blocker

¡NEW!



Single-component polyurethane primer for absorbent cementitious substrates, which cures with ambient humidity forming a very hard and continuous film, acting as a consolidant and blocker of residual moisture in cementitious screeds

Advantages

- ✓ It is quick and easy to apply.
- ✓ It adheres strongly to a wide variety of substrates.
- ✓ It dries relatively quickly.
- ✓ It offers excellent resistance to extreme temperatures.

Applications

- ✓ Recommended for blocking residual moisture in cement screeds without underfloor heating up to a maximum of 6% CM (carbide hygrometer).
- ✓ In cement screeds with underfloor heating up to a maximum of 3% CM (carbide hygrometer).
- ✓ In concrete floors without underfloor heating, it blocks excessive residual moisture up to a maximum of 6% CM.

Presentation	EAN	Colour	U/Box
10kg bottle.	8435057633055	-	1



DISPERTEC LATEX Mortar Modifier



Concrete and cementitious mortar accelerator based on a suspension of inorganic nanoparticles that enhance the cement hydration process. Ready-to-use additive.

Advantages

- ✓ Improves tensile strength and cohesion.
- ✓ Increases the adhesion of grout or mortar to metals, brick, stone, glass, ceramics, etc.
- ✓ Improves elasticity and application.

Applications

- ✓ Modification of cementitious mortars.
- ✓ Modification of concrete and plaster.
- ✓ Modification of mortars for tiling and flooring.
- ✓ Primer/adherent grout.
- ✓ Surface consolidant and pore filler.



Presentation	EAN	Colour	U/Box
5kg bottle.	8435057600255	Crystal clear	1
25kg bottle.	8435057623209	Crystal clear	1

DISPERTEC TACK RR Professional Bridge



Ready-to-use water-based dispersion.

Advantages

- ✓ No dilution required.
- ✓ Improves the adhesion of mortars and plasters.

Applications

- ✓ On very smooth or low porosity concrete surfaces.



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057628655	Crystal clear	12
5kg bottle.	8435057693585	Crystal clear	1
25kg bottle.	8435057624220	Crystal clear	1

DISPERTEC TACK R Premium Connection Bridge




Aqueous base dispersion.

Advantages

- ✓ No thinning required.
- ✓ High resin content.
- ✓ High tack.
- ✓ Maximum coverage.

Applications

- ✓ Improves the adhesion of mortars and plasters on very smooth or low-porosity concrete surfaces.



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057624084	Crystal clear	12
5kg bottle.	8435057693424	Crystal clear	1
25kg bottle.	8435057624077	Crystal clear	1

DISPERTEC TACK PLUS Textured Bonding Bridge With Mineral Filler




Advantages

- ✓ It creates a rough surface, improving the bonding bridge function to promote the adhesion of mortars and plasters on complex substrates.

Applications

- ✓ Especially suitable for smooth or non-porous surfaces with low absorption, such as tiles, ceramics, galvanized steel, etc.



Presentation	EAN	Colour	U/Box
1kg tub.	8435057624190	Brown	12
5kg bucket.	8435057624176	Brown	1
25kg bucket.	8435057624183	Brown	1

DISPERTEC AG

Binder



One-component water-based binder.

Advantages

- ✓ It possesses high adhesive and cohesive strength.
- ✓ Excellent resistance to tensile stress, abrasion, solar radiation, water, and chemicals.

Applications

- ✓ Specially formulated for gravel bonding.
- ✓ Coatings for exterior masonry
- ✓ Fillers and mastics
- ✓ Mineral coatings and bonding agents.
- ✓ Paints for facades.



Presentation	EAN	Colour	U/Box
5kg bottle.	8435057600330	Crystal clear	1
25kg bottle.	8435057623261	Crystal clear	1

DISPERTEC HF PLUS

Water Repellent



Silane-based water repellent in aqueous dispersion.

Advantages

- ✓ Waterproofs and repels water.
- ✓ It does not form a film and is breathable.
- ✓ It reduces the formation of efflorescence, mold, and mildew.
- ✓ It does not alter the aesthetic appearance of the surface.
- ✓ Excellent UV and weather resistance.
- ✓ It reduces the penetration of dirt into the pores without affecting breathability.

Applications

- ✓ Ceramics.
- ✓ Roof tiles.
- ✓ Concrete.
- ✓ Mortar.
- ✓ Stone.



Presentation	EAN	Colour	U/Box
5kg bottle.	8435057629560	Crystal clear	1
25kg bottle.	8435057629577	Crystal clear	1

DISPERTEC DUR Curing Membrane



Water-based curing liquid.

Advantages

- ✓ Protects concrete from surface drying.
- ✓ Controls water evaporation.
- ✓ Prevents shrinkage and cracking.
- ✓ Ensures efficient concrete curing.
- ✓ Prevents cracking.
- ✓ Reduces shrinkage during drying.

Applications

- ✓ Directly onto fresh stamped concrete.



Presentation	EAN	Colour	U/Box
5kg bottle.	8435057600385	Crystal clear	1
25kg bottle.	8435057623865	Crystal clear	1

DISPERTEC CUR Protector For Stamped Concrete



Water-based liquid for finishing and protecting printed or stamped pavements.

Advantages

- ✓ It acts by forming a protective and decorative film on the stamped concrete pavement.
- ✓ High waterproofing power.
- ✓ Provides an excellent surface finish.
- ✓ Enhances the natural appearance of the pavement.

Applications

- ✓ Directly onto fresh stamped concrete.



Presentation	EAN	Colour	U/Box
5kg bottle.	8435057623933	Crystal clear	1
25kg bottle.	8435057623940	Crystal clear	1

SUPERTEC 8000

Adhesive Contact For PVC Sheets



Synthetic contact adhesive for the application of waterproofing sheets.

Applications

- ✓ Waterproofing membranes made of PVC, rubber, and other textile materials.
- ✓ Installation of artificial turf in swimming pools, terraces, parks, etc.



Presentation	EAN	Colour	U/Box
4l tin.	8435057631907	Yellowish	1
20l pail.	8435057600736	Yellowish	1

PLASTIPOL 6700 D

Polyurethane Adhesive For Waterproof PVC Sheets



Advantages

- ✓ Short open time.
- ✓ Specially developed for bonding PVC waterproof sheets to each other by overlapping or onto the most commonly used building materials.


Applications

- ✓ Bonding PVC sheets for waterproofing roofs, terraces, basements, swimming pools, tanks, etc.



Presentation	EAN	Colour	U/Box
5l tin.	8435057606042	Crystal clear	1
20l pail.	8435057606028	Crystal clear	1

EMAX MS-45 PRO Sealant Adhesive For EPDM And TPO



New hybrid technology adhesive sealant based on high-quality silane-modified polymers, specially designed to bond EPDM membranes to each other or to different substrates.

Advantages

- ✓ Maximum adhesion, excellent adhesion without primer, resistant to weathering and moisture, fast curing, easy to apply, flexible and paintable after curing.

Applications

- ✓ Installation, sealing, and repair of EPDM waterproofing membranes used on roofs, facades, ponds, tanks, canals, and conduits.
- ✓ Bonding of playground flooring and non-slip rubber flooring.
- ✓ Repair of cracks and fissures and joint formation.

Certifications



Presentation	EAN	Colour	U/Box
290ml cartridge.	8435057609739	Black	12

EMAX MS-95 AQUAPROOF More Crystal Clear Waterproofing



¡NEW!

Advantages

- ✓ One-component MS polymer liquid membrane.
- ✓ High mechanical strength and good flexibility.
- ✓ Does not alter the aesthetic properties of the material to which it is applied. Good chemical resistance.
- ✓ Contains no isocyanates, solvents, or silicones.
- ✓ High adhesion to porous materials.
- ✓ Hydrophobic/Waterproof, non-sticky.
- ✓ Easy application, crystal clear, and walkable.
- ✓ Bubble-free curing, excellent UV and weather resistance.
- ✓ No shrinkage, high resistance to UV radiation and weathering.
- ✓ Can be applied to damp surfaces, odorless.
- ✓ No primer required, suitable for interior/exterior use.

Applications

- ✓ Waterproofing and repair work.
- ✓ Roofs, balconies, and terraces made of various materials (brick, mortar, concrete, cement, ceramic, wood, metal, glass, etc.).
- ✓ Floors, facades, skylights, planters, and chimneys.
- ✓ Tiles and gutters, bathtubs, and shower trays.

Presentation	EAN	Colour	U/Box
750g bottle.	8435057636704	Crystal clear	1
4l pail.	8435057635875	Crystal clear	1



EMAX MS AQUAPROOF MS Liquid Waterproofer



Advantages

- ✓ Elastic waterproofing membrane with MS technology.
- ✓ Forms a continuous and completely waterproof membrane.
- ✓ Withstands prolonged contact with water.
- ✓ Permeable to water vapor.

Applications

- ✓ Excellent adhesion to most substrates used in construction.
- ✓ Easy application.
- ✓ Can be applied wet.
- ✓ Paintable after curing.



Presentation	EAN	Colour	U/Box
Bottle 1 kg.	8435057610056	White	6
Bottle 1 kg.	8435057609104	Grey	6
Bottle 1 kg.	8435057610117	Terracotta	6
Bucket 5 kg.	8435057609975	White	1
Bucket 5 kg.	8435057609050	Grey	1
Bucket 5 kg.	8435057610087	Terracotta	1

ULTRAPOL C-380 SP Polyester Base Chemical Anchor



¡NEW!

Advantages

- ✓ Styrene-free and fast-curing.
- ✓ Especially formulated for reinforcing medium- to high-load anchors.
- ✓ Suitable for hollow or weak-consistency materials.
- ✓ No premixing required; the resin and hardener mix during turbulence in the special mixer.

Applications

- ✓ Ventilated facade, carpentry, metalwork, flooring, ceilings, wall coverings, air conditioning, sports facilities, boilers, plumbing, electricity, decoration, flagpoles, awnings street furniture, masonry, etc.
- ✓ Materials: Non-cracked concrete, hollow and solid masonry, natural stone, rock, brick...



Certifications



Presentation	EAN	U/Box
300ml cartridge.	8435057603294	12
410ml cartridge.	8435057622370	12

ULTRAPOL V-400

Vinylester-Based Chemical Anchor

¡NEW!



Advantages

- ✓ Styrene-free.
- ✓ Designed for demanding applications.
- ✓ Especially formulated for reinforcing medium- to high-load anchors.
- ✓ Suitable for hollow or weak-consistency materials.
- ✓ No premixing required; the resin and hardener mix during turbulence in the special mixer.

Applications

- ✓ Ventilated facade, carpentry, metalwork, flooring, ceilings, wall coverings, air conditioning, sports facilities, boilers, plumbing, electricity, decoration, flagpoles, awnings, street furniture, masonry, etc.
- ✓ Materials: Non-cracked concrete, hollow and solid masonry natural stone, rock, brick...

Certifications



Presentation	EAN	U/Box
300ml cartridge.	8435057622394	12





OTHERS



PRIMER 300 Primer For Non-Porous Substrates



Advantages

- ✓ Silicone resin-based primer that acts as an adhesion promoter for sealants such as TECNOSIL, TECNOPUR and EMAX.

Applications

- ✓ On various types of plastics such as rigid and flexible PVC, polycarbonates, etc. And certain metals.


Presentation	EAN	Colour	U/Box
1kg bottle.	8435057629591	Crystal clear	12

DISOLVER UNIVERSAL Universal Solvent



Applications

- ✓ Nitrocellulose lacquer thinner.
- ✓ Synthetic varnishes.
- ✓ Viscosity adjustment.
- ✓ Equipment cleaning.



Presentation	EAN	Colour	U/Box
1kg bottle.	8435057660532	Crystal clear	12
4l tin.	8435057607698	Crystal clear	1
25l bottle.	8435057660556	Crystal clear	1

TECNOJUNTA

Board Fund

Applications

- ✓ Circular section cord of polyethylene foam, for bottom and depth regulator in all types of sealing and construction joints.



Presentation	EAN	Colour	U/Box
D10 (1150 ml.)	8435057628815	Grey	1
D15 (550 ml.)	8435057628822	Grey	1
D20 (350 ml.)	8435057628839	Grey	1
D25 (200 ml.)	8435057628846	Grey	1
D30 (160 ml.)	8435057628853	Grey	1
D40 (270 ml.)	8435057628860	Grey	1
D50 (180 ml.)	8435057628877	Grey	1



PISTOLA ESPUMA PE-750

Advantages

- ✓ Easy to clean (with QS cleaner).
- ✓ Double nozzle diameter for increased foam output.
- ✓ Includes accessories.
- ✓ Use with one or two hands.
- ✓ Easy to use.
- ✓ Foam application control via trigger and regulator.
- ✓ PTFE coating for increased durability.



Presentation	EAN	Colour	U/Box
Custom box	8435057676557	Red	1

PISTOLA SELLADOR PS M-600

Advantages

- ✓ Sealant application in 600 ml bottles.
- ✓ Includes accessories.
- ✓ Use with one or two hands.
- ✓ Easy to use.
- ✓ Ergonomic.
- ✓ High quality.



Presentation	EAN	Colour	U/Box
Bag	8435057606073	Black	1

PISTOLA SELLADORA PS M-300

Advantages

- ✓ Easy to use.
- ✓ Ideal for home improvement and DIY projects.



Presentation	EAN	Colour	U/Box
Bag	8435057676533	Red	1

PISTOLA SELLADOR PS M-300 PRO

Advantages

- ✓ Professional-grade caulking gun for 300ml silicone cartridges.
- ✓ Effortless product extrusion.
- ✓ Smooth and durable flow.
- ✓ Easy sealing in any position.



Presentation	EAN	Colour	U/Box
Bag	8435057676540	Black	1

YOUR BRAND

OUR EXPERIENCE

For customers who wish to work with products manufactured by QS under their own brand, QS makes available its entire production infrastructure, laboratory, dedicated R&D personnel, and logistical support to deliver the best product, under the best conditions of price, time, and service, based on the agreements reached.

For sure ✓





**Adhesive
Solutions**



For sure ✓

Innovation in Adhesives and Sealants for Retail and Construction.

As manufacturers of adhesives and sealants, we offer high-quality solutions for the retail and construction sectors. Our product range includes everything from mounting adhesives and multipurpose sealants to specialized solutions for demanding applications. We guarantee high performance, ease of application, and durability, adapting to the needs of professionals and consumers.

Furthermore, we are committed to innovation and sustainability, developing safe and efficient products that meet the most demanding market standards.

Download this catalog here

